



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/834,751	04/13/2001	Sergey A. Velichko	303.750US1	4280
21186 7590 04/09/2008 SCHWEGMAN, LUNDBERG & WOESSNER, P.A. P.O. BOX 2938 MINNEAPOLIS, MN 55402				
EXAMINER				
BARBEE, MANUEL L				
ART UNIT		PAPER NUMBER		
2857				
MAIL DATE		DELIVERY MODE		
04/09/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/834,751

Applicant(s)

VELICHKO ET AL.

Examiner

MANUEL L. BARBEE

Art Unit

2857

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 January 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 38-43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 38-43 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)

Paper No(s)/Filing Date: 1-10-06

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date: _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. The indicated allowability of claims 38-43 is withdrawn in view of the reference(s) to Gloudeman et al. (US Patent No. 6,119,125). Rejections based on Gloudeman to follow.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10 January 2008 has been entered.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 38-40, 42 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,124,725 to Sato (Sato) in view of US Patent No. 6,119,125 to Gloudeman et al. (Gloudeman).

As per claim 38:

With regard to controlling via a control module concurrent operation of a semiconductor test equipment and operation of parametric test instrumentation,

as shown in claim 29, Sato teaches controlling via a control module (controller 35) concurrent operation of semiconductor test equipment (wafer chuck 11) and parametric test instrumentation (contactor 12, which has a large number of probe terminals which are brought into contact with electrode pads of chips formed on a wafer, see col. 4, line 10+).

Sato does not teach that the control module is operable to provide fault-tolerant control of the test state via a state oscillator, which is operable to control the state of other system modules. Gloudeman teaches a Simple Finite State Machine (SFSM) that is an event controller, which changes states based on rules, and supports the implementation of a hierarchical state diagram (col. 16, line 41 - col. 17, line 47). The SFSM uses events and inputs to control the state change and synchronize operation with other components (col. 16, lines 51-58; col. 17, lines 39-47). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the semiconductor testing, as taught by Sato, to include the SFSM, as taught by Gloudeman, because the operation of different software components together would have been facilitated (Gloudeman, col. 1, lines 19-37).

As per claim 39:

Sato does not teach changing the state of other system modules. Gloudeman teaches a Simple Finite State Machine (SFSM) that is an event controller, which changes states based on rules, and supports the implementation of a hierarchical state diagram (col. 16, line 41 - col. 17, line 47). The SFSM uses events and

inputs to control the state change and synchronize operation with other components (col. 16, lines 51-58; col. 17, lines 39-47). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the semiconductor testing, as taught by Sato, to include the SFSM, as taught by Gloudeman, because the operation of different software components together would have been facilitated (Gloudeman, col. 1, lines 19-37).

As per claim 40:

Sato does not teach that the state oscillator is controlled in synchronization with other system events by the control module. Gloudeman teaches that the SFSM uses events and inputs to control the state change and synchronize operation with other components (col. 16, lines 51-58; col. 17, lines 39-47). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the semiconductor testing, as taught by Sato, to include the SFSM, as taught by Gloudeman, because the operation of different software components together would have been facilitated (Gloudeman, col. 1, lines 19-37).

As per claim 42:

With regard to controlling via a control module concurrent operation of a semiconductor test equipment and operation of parametric test instrumentation, as shown in claim 29, Sato teaches controlling via a control module (controller 35) concurrent operation of semiconductor test equipment (wafer chuck 11) and parametric test instrumentation (contactor 12, which has a large number of probe terminals which are brought into contact with electrode pads of chips formed on a

wafer, see col. 4, line 10+). With regard to providing control of the semiconductor parametric test equipment via operation of a parametric test equipment module and providing control of the parametric test instrumentation via operation of a test instrumentation module, Sato teaches a control module to control the semiconductor test equipment and parametric test instrumentation (col. 4, lines 10+).

Sato does not teach that the control module is operable to provide fault-tolerant control of the test state via a state oscillator, which is operable to control the state of other system modules. Gloudeman teaches a Simple Finite State Machine (SFSM) that is an event controller, which changes states based on rules, and supports the implementation of a hierarchical state diagram (col. 16, line 41 - col. 17, line 47). The SFSM uses events and inputs to control the state change and synchronize operation with other components (col. 16, lines 51-58; col. 17, lines 39-47). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the semiconductor testing, as taught by Sato, to include the SFSM, as taught by Gloudeman, because the operation of different software components together would have been facilitated (Gloudeman, col. 1, lines 19-37).

As per claim 43:

With regard to controlling via a control module concurrent operation of a semiconductor test equipment and operation of parametric test instrumentation, as shown in claim 29, Sato teaches controlling via a control module (controller

35) concurrent operation of semiconductor test equipment (wafer chuck 11) and parametric test instrumentation (contactor 12, which has a large number of probe terminals which are brought into contact with electrode pads of chips formed on a wafer, see col. 4, line 10+). With regard to providing control of the semiconductor parametric test equipment via operation of a parametric test equipment module and providing control of the parametric test instrumentation via operation of a test instrumentation module, Sato teaches a control module to control the semiconductor test equipment and parametric test instrumentation (col. 4, lines 10+).

Sato does not teach that the control module is operable to provide fault-tolerant control of the test state via a state oscillator, which is operable to control the state of other system modules. Gloudeman teaches a Simple Finite State Machine (SFSM) that is an event controller, which changes states based on rules, and supports the implementation of a hierarchical state diagram (col. 16, line 41 - col. 17, line 47). The SFSM uses events and inputs to control the state change and synchronize operation with other components (col. 16, lines 51-58; col. 17, lines 39-47). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the semiconductor testing, as taught by Sato, to include the SFSM, as taught by Gloudeman, because the operation of different software components together would have been facilitated (Gloudeman, col. 1, lines 19-37).

5. Claim 41 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sato in view of Gloudeman as applied to claim 38 above, and further in view of US Patent No. 5,206,582 to Ekstedt et al. (Ekstedt).

Sato and Gloudeman teach all the limitations of claim 38 upon which claim 41 depends. Sato and Gloudeman do not teach an abort superstate, a pause superstate and a lot run superstate. Ekstedt teaches exiting the testing loop when a defective device is found, pausing for user input and the normal testing routine (col. 11, lines 4-35; col. 10, lines 32-51). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the semiconductor testing combination, as taught by Sato and Gloudeman, to include the states taught by Ekstedt, because then known system states would have been handled modularly.

Response to Arguments

6. Applicant's arguments with respect to claims 38-43 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MANUEL L. BARBEE whose telephone number is (571)272-2212. The examiner can normally be reached on Monday-Friday from 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eliseo Ramos-Feliciano can be reached on 571-272-7925. The fax phone

Art Unit: 2857

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Manuel L. Barbee/
Examiner, Art Unit 2857

mlb
April 7, 2008